

**Process for the production of a water-soluble polymer dispersion.**

**Patent number:** EP0183466  
**Publication date:** 1986-06-04  
**Inventor:** TAKEDA HISAO; KAWANO MUTSUMI  
**Applicant:** KYORITSU YUKI CO LTD (JP)  
**Classification:**  
- International: C08F2/10; C08F2/04; (IPC1-7): C08F2/10; C08F20/54  
- european: C08F2/10  
**Application number:** EP19850308398 19851118  
**Priority number(s):** JP19850158709 19850718; JP19850158711 19850718;  
JP19840244152 19841119

**Also published as:**

 US4929655 (A1)  
 ES8702443 (A)  
 EP0183466 (A3)  
 EP0183466 (B2)  
 EP0183466 (B1)

**Cited documents:**

 GB1206711  
 FR2251367

[Report a data error here](#)

Abstract not available for EP0183466

Abstract of corresponding document: **US4929655**

A process for preparing a water-soluble polymer dispersion is here provided which is characterized by polymerizing water-soluble monomers of 5 to 1000 mole % of a cationic monomer represented by formula (I) defined herein, 0 to 50 mole % of another cationic monomer represented by formula (II) defined herein and 0 to 95 mole % of (meth)acrylamide in the presence of 1 to 10% by weight of an organic high-molecular multivalent cation based on the total weight of the monomers in a multivalent anionic salt aqueous solution having a concentration of 15% by weight or more.

---

Data supplied from the **esp@cenet** database - Worldwide